



**INDIRA GANDHI  
INSTITUTE OF  
DENTAL SCIENCES**

+91 96054 000 34 / 35

info@igids.org | www.igids.org

Nellikuzhi PO, Kothamangalam  
Ernakulam Dt., Kerala 686 691, S.India.

Affiliated to Kerala University of Health Sciences, Thrissur  
Recognized by Ministry of Health and Family Welfare,  
Govt. of India & Dental Council of India, New Delhi

**MAINTENANCE COMMITTEE**

## MAINTENANCE COMMITTEE

Maintenance committee constituted on January 10<sup>TH</sup>2020.maintenance committee was constituted with members from different departments to manages the maintenance of academic, physical and support facilities.

Maintenance committee meeting was held at LECTURE HALL 1 at 10.30 am on 16/01/20 (Thursday).Agenda-Regarding works to be accomplished

Members of this committee are

Dr.Dinesh Kamath ,Department Of Conservative Dentistry

Dr.Fiaz Shamsudeen, Department Of Oral and Maxillofacial Surgery

Dr. Manju Babu, Department Of Periodontics

Mr.Bijesh P.K Chief Operating Officer

Mr.Rajan P.M

Mr.Pareed P.K

Mrs.Smitha

All committee members have attended the meeting. It was decided to conduct a regular meeting twice a year and a third meeting when an emergency arises.



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KAMATH
2. Dr. FIAZ SHAMSUDEEN
3. Dr. MANJU BABU
4. Mr. BIJESH P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA

*[Handwritten signatures and initials corresponding to the list members]*



*[Handwritten signature]*  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P.O, Kothamangalam  
Kerala-686691

## MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 2 at 1.00pm on 23/11/20 (MONDAY). All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified. The ongoing issues were


- Conservative fan is not working.
- OMR xray viewer is not working.
- Oral Pathology: microtome is not working.
- Library fan is not working.
- ortho Clinic: light is not working.
- Surgery: suction is not working.
- conservative-water not coming in airroator
- Prostho Preclinical: Fan is not working.
- Conservative department light cure is blinking.
- implant department- water leakage in th department
- fan regulator is not in oral surgery
- Prostho: airroator in clinical area.
- Orthodontics: chair not working.
- perio-Fan and tube are not working.
- community-chair has no light
- oral path: temperature control of water bath altered..
- Pedodontics: suction not working in chair .
- Perio clinic chair is not working.
- community-chair has no light



  
Dr. Sandu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KAMATH
2. Dr. FIAZ SHAMSUDEEN
3. Dr. MANJU BABU
4. Mr. BIJESH P.K
5. Mr. RAJAN P. M
6. Mr. PAREETH P.K
7. Mrs. SMITHA

  
A  
3  
Smith



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P.O., Kothamangalam  
Kerala-686691

## MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 1 at 10.00 am on 22/03/21 (MONDAY).  
All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified

The ongoing issues were






- OMR intraoral camera is not working
- OMR Thermal scanner is not working
- Conservative autoclave coil is complaint
- Oral surgery threeway syringe not working
- Prostho acryliser not working
- Prostho hot water sterilizer not working
- Prostho lab airoter holder broken
- Ortho airoator not working
- Conservative chair water leakage
- Community air leakage in chair
- Perio water leakage in chair
- Implant chair is not working
- Oral path microscope is complaint




  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KAMATH
2. Dr. FIAZ SHAMSUDEEN
3. Dr. MAJISU BABU
4. MR. BIJESH P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

## MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 1 at 10.00 am on 5/07/21 (MONDAY). All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified. The ongoing issues were

- OMR intraoral camera is not working
- OMR Thermal scanner is not working
- Conservative autoclave coil is complaint
- Oral surgery threeway syringe not working
- Prostho acryliser not working
- Prostho hot water sterilizer not working
- Prostho lab airoter holder broken
- Ortho airoator not working
- Conservative chair water leakage
- Community air leakage in chair
- Perio water leakage in chair
- Implant chair is not working
- Oral path microscope is complaint




  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686091



MAINTENANCE COMMITTEE REPORT

- 1. Dr. DINESH KAMATH
- 2. Dr. FIAZ SHAMSUDEEN
- 3. Dr. MANJIV BABU
- 4. Mr. BIJESH P.K
- 5. Mr. RAJAN P.M
- 6. Mr. PAREETH P.K
- 7. Mrs. SMITHA

*[Handwritten signatures and initials corresponding to the list members]*



*[Handwritten signature]*  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

### MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 1 at 10.00 am on 6/12/21 (MONDAY). All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified.

The ongoing issues were

- OMR UPS is not working
- OMR CBCT touch complaint
- OMR dryer is not working
- Oral surgery suction not working
- Prostho acryliser not working
- Prostho lab airoter bur complaint
- Ortho tube light not working
- Ortho water not coming in airoater
- Conservative chair valve complaint
- Community up and down movement restricted in chair
- Perio water leakage in chair
- Implant airoator is not working
- Oral path microtome is complaint



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KAMATH
2. Dr. FIJAZ SHAMSUDHEEN
3. Dr. MANJU BABU
4. Mr. BIJESH P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA

*[Handwritten signatures in blue ink corresponding to the list members]*



*[Handwritten signature in green ink]*  
Dr. Sanu Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

## MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 1 at 1.00pm on 14/03/22 (monday). All committee members have attended the meeting.

The maintenance work reported during the previous meeting were discussed and checked if it was rectified.

The ongoing issues were

- Library: tube light is not working.
- Prostho Preclinical water leakage in preclinical lab
- ortho: chair suction is not working.
- Prostho Clinic: hot water sterilizer cord complaint
- Surgery: suction not working.
- conservative-water not coming in airroator.
- Conservative department light cure is blinking.
- implant department-airotar not working
- Tube and fan regulator is not working in periodontics
- Orthodontics: chair movements restricted.
- perio-chair not working.
- community-tube light not working
- Oral Pathology: microscope is not working.
- Pedodontics: water leakage in chair.
- Perio clinic: light is not working in HOD room.
- Prostho: Fan and tube are not working.
- OMR –PSP system error




  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KAMATH
2. Dr. FIAR SHAMSUDKEEN
3. Dr. MANJU BABU
4. Mr. BIJESH P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA

*[Handwritten signatures in blue ink corresponding to the list members]*



*[Handwritten signature in green ink]*  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-586691

### MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 2 at 1.00pm on 11/07/2022 (MONDAY). All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified. It was decided to condemn the instruments which are irreparable.

The ongoing issues were


- Conservative tube light is not working.
- OMR CBCT complaint
- OMR-dryer complaint
- Oral Pathology: microscope is not working.
- Library tubelight is not working.
- ortho Clinic: water leakage in chair.
- Surgery: micromotor is not working.
- conservative-endomotor complaint
- Prosthodontics: Fan is not working.
- Conservative department: water leakage in chair.
- fan regulator is not in oral surgery
- Prosthodontics: air rotor in clinical area not working.
- prosthodontics: chair 6 not working.
- perio-Fan is not working.
- community-air leakage in three way syringe
- oral path: fan not working
- Pedodontics: light cure unit not working
- Perio clinic air leakage in chair



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

MAINTENANCE COMMITTEE MEMBERS

1. Dr. DINESH KANATH
2. Dr. FIAZ SHAMSUDHEEN
3. Dr. MANJU BABU
4. Mr. BISHESH P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA




  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691

## MAINTENANCE COMMITTEE REPORT

Maintenance committee meeting was held at LECTURE HALL 2 at 1.30pm on 5/12/2022 (MONDAY). All committee members have attended the meeting. The maintenance work reported during the previous meeting were discussed and checked if it was rectified. Irreparable instruments from all departments were condemned under the supervision of the maintenance committee.

The ongoing issues were

- Oral Pathology: microscope is not working.
- OMR-: monitor complaint
- OMR-XRAY machine not working
- Surgery: air leakage in chair
- conservative-water not coming in airroator
- ortho: suction is not working.
- Conservative department: apex locator cord complaint
- fan regulator is not in periodontics
- Prosthodontics: airroator in clinical area not working.
- prosthodontics: chair 6 not working.
- perio-autoclave not working.
- community-chair light complaint
- Pedodontics: water leakage in chair
- Perio clinic chair light is complaint



  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691



MAINTENANCE COMMITTEE MEMBERS

1. Dr. DIVESH KAMATH
2. Dr. FIAZ SHAMSUDHEEN
3. Dr. MANSU BABU
4. Mr. BISHU P.K
5. Mr. RAJAN P.M
6. Mr. PAREETH P.K
7. Mrs. SMITHA




  
Dr. Sanu Tom Abraham, MDS  
PRINCIPAL  
Indira Gandhi Institute of Dental Sciences  
Nellikuzhi P O, Kothamangalam  
Kerala-686691